# **TEMPORIZATION**





Optimized for performance, Cling2<sup>®</sup> is an easy to use temporary cement providing superior adhesion and an excellent marginal seal. Cling<sup>2</sup> is the perfect choice for cementing provisional crowns, bridges, inlays, and onlays.

- Cling2 sets quickly (60-90 seconds) and easily peels off the preparation margins in seconds for chairside efficiency.
- Cling2's carboxylate resin and non-eugenol, zinc oxide based formula is bacteriostatic for exceptional tissue health and patient comfort.
- Temporaries cemented with Cling2 simply won't come off until you need them to, and when it's time for removal, the temporary releases easily with minimal clean-up of the preparation.

#### Simple Placement

Cling<sup>2</sup> sets in 60 to 90 seconds for

easy placement.

**Easy Clean-Up** 



As Cling<sup>2</sup> sets, it easily peels away from margins.

### **Superior Adhesion**



formula provides extra adhesion to prevent premature dislodgement.

### **Efficient Removal**

When you are ready, Cling2

releases easily and usually stays

in the prosthesis making clean-up

a breeze. The remaining Cling<sup>2</sup> on

preparation flakes off easily.

**Exceptional Tissue Health** 



Cling<sup>2</sup>'s carboxylate resin and non-eugenol, zinc oxide formula is antibacterial, resulting in exceptional tissue health.

Designed for better dentistry.

## **CLINICAL TECHNIQUE**

Dentistry and photography courtesy of Robert Lowe, DDS.



www.clinicianschoice.com [f][in]

VER. 2.2024 | © Clinician's Choice Dental Products, Inc. 2024. All rights reserved.



Once set, Cling<sup>2</sup>'s resin optimized